

广西汽车旅游营地质量等级评定细则（2020 年修订）

：

1. 本 1000 ， 等 9 大 ， 1000 。
2. 车 地 达到 900 ， 车 地 达到 800 ， 车 地 达到 700 ， 二 车 地 达到 600 ， 车 地 达到 500 。
3. 档次 的 档 ， 不得 档 。 不 档次的 ， 达到部 的部 ； 。 得到大 得 。
4. 得 ， 达标程度 。

1		80
2		240
3		220
4		125
5		110
6		80
7		55
8		40
9		50
		1000

指标体系

1.1			20								
1.1.1				3							
1.1.2				3							
1.1.3				3							
1.1.4				2							
1.1.5				2							
1.1.6				3							
1.1.7				2							
1.1.8				2							
1.2			60								
1.2.1				20							
1.2.1.1					5						

1.2.1.2		5		
1.2.1.3		5		
1.2.1.4		5		
1.2.2	20			
1.2.2.1		20		
1.2.2.2		15		
1.2.2.3		10		
1.2.3	20			
1.2.3.1		5		
1.2.3.2		5		
1.2.3.3		5		
1.2.3.4		5		

2.1	35			
2.1.1				

2.1.1.1	300					20					
2.1.1.2	200					15					
2.1.1.3	150					10					
2.1.1.4	100					5					
2.1.1.5	75					3					
2.1.2				15							
2.1.2.1	150					15					
2.1.2.2	100					10					
2.1.2.3	50					8					
2.1.2.4	30					4					
2.2			50								
2.2.1				10							
2.2.1.1	70% 90 ²					10					
2.2.1.2	70% 80 ²					8					
2.2.1.3	70% 70 ²					6					

2.2.2				10							
2.2.2.1	70% 100 ²					10					
2.2.2.2	70% 90 ²					8					
2.2.2.3	70% 80 ²					6					
2.2.3				10							
2.2.3.1	70% 110 ²					10					
2.2.3.2	70% 100 ²					8					
2.2.3.3	70% 90 ²					6					
2.2.3.4	70% 80 ²					4					
2.2.4				10							
2.2.4.1	70% 110 ²					10					
2.2.4.2	70% 100 ²					8					
2.2.4.2	70% 90 ²					6					
2.2.4.3	70% 80 ²					4					
2.2.5				10							
2.2.5.1	70% 30 ²					10					

2.2.5.2	70% 25 ²					8					
2.2.5.3	70% 20 ²					6					
2.3			25								
2.3.1				5							
2.3.1.1					5						
2.3.2				20							
2.3.2.1					5						
2.3.2.2					3						
2.3.2.3					3						
2.3.2.4					3						
2.3.2.5					3						
2.3.2.6					3						
2.4			36								
2.4.1				31							
3.4.1.1					5						

2.4.1.2					3						
2.4.1.3					7						
2.4.1.4					8						
2.4.1.5					8						
2.4.1.5.1						2					
2.4.1.5.2						2					
2.4.1.5.3						2					
2.4.1.5.4						2					
2.4.2				5							
2.4.2.1					2						
2.4.2.2					3						
2.5			32								
2.5.1				26							
2.5.1.1					5						
2.5.1.2					4						

2.5.1.3					2						
2.5.1.4					2						
2.5.1.5					4						
2.5.1.6					9						
2.5.1.6.1						2					
2.5.1.6.2						2					
2.5.1.6.3						2					
2.5.1.6.4						1					
2.5.1.6.5						1					
2.5.1.6.6						1					
2.5.2				6							
2.5.5.1					1						
2.5.5.2					1						
2.5.5.3					1						
2.5.5.4	12				1						

2.5.5.5					1						
2.5.5.6					1						
2.6			36								
2.6.1				3							
2.6.1.2	20 ²					3					
2.6.1.3	16 ²					2					
2.6.1.4	12 ²					1					
2.6.2				17							
2.6.2.1					3						
2.6.2.3					6						
2.6.2.3.1						2					
2.6.2.3.2						2					
2.6.2.3.3						1					

2.6.2.3.4	1		
2.6.2.4	3		
2.6.2.5	3		
() (110 V/220 V)			1 3
2.6.2.6	2		
2.6.3	15		
2.6.3.1	1		
2.6.3.2	1		
2.6.3.3	4		
2.6.3.3.1	2		
2.6.3.3.2	2		
2.6.3.4	12	1	

2.6.3.5					5						
2.6.3.5.1						2					
2.6.3.5.2						1					
2.6.3.5.3						2					
2.6.3.6	24				2						
2.6.3.7					1						
2.7			26								
2.7.1				21							
2.7.1.1					2						
2.7.1.2					4						
2.7.1.3					6						
2.7.1.4					5						
2.7.1.5					4						
2.7.1.5.1						1					
2.7.1.5.2						1					

2.7.1.5.3						1					
2.7.1.5.4						1					
2.7.2				5							
2.7.2.1	24				3						
2.7.2.2					2						
3.1			45								
3.1.1				15							
3.1.1.1					5						
3.1.1.2					5						
3.1.1.3					5						
3.1.2				5							
3.1.3				20							
3.1.3.1	24 h				1						
3.1.3.2	24				1						

3.1.3.3	100				1						
3.1.3.4					2						
3.1.3.5					5						
3.1.3.5.1	2					5					
3.1.3.5.2						3					
3.1.3.6	24				5						
3.1.3.7					2						
3.1.3.8					1						
3.1.3.9					1						
3.1.3.10					1						
3.1.4				5							
3.1.4.1					2						

3.1.4.2					3						
3.2			45								
3.2.1				6							
3.2.1.1					3						
3.2.1.2					3					1	1
3.2.2				21							
3.2.2.1					1						
3.2.2.2					1						
3.2.2.3					3						
3.2.2.4					5						
3.2.2.5					8						
3.2.2.5.1						1					
3.2.2.5.2						1					
3.2.2.5.3						1					
3.2.2.5.4						1					

3.2.2.5.5		1	
3.2.2.5.6	(	1	
3.2.2.5.7	)	2	
3.2.2.6		3	
3.2.2.6.1		1	
3.2.2.6.2		1	
3.2.2.6.3		1	
3.2.3		18	
3.2.3.1		5	
3.2.3.1.1	10	5	
3.2.3.1.2			

3.2.3.2					5						
3.2.3.2					2						
3.2.3.3					1						
3.2.3.4					1						
3.2.3.5					1						
3.2.3.6					1						
3.2.3.7					1						
3.2.3.8	GB 18483				1						
3.3			30								
3.3.1				1							
3.3.2				2							
3.3.3				1							
3.3.4				2							
3.3.5	2			8							

--	--	--

3.4.1.1.5						3					
3.4.1.2					5						
3.4.1.2.1	4					5					
3.4.1.2.2	2					3					
3.4.2				20							
3.4.2.1					2						
3.4.2.2					1						
3.4.2.3					2						
3.4.2.4					2						
3.4.2.5	GB 9664				1						
3.4.2.6	GB 16153				1						
3.4.2.7	GB 9667				1						
3.4.2.8					10						
3.4.2.8.1	3000 ²					10					
3.4.2.8.2	2000 ²					8					


3.4.2.8.3	1 000 ²					6					
3.4.2.8.4	700 ²					4					
3.4.2.8.5	400 ²					2					
3.5.1	W -F W -F			7							
3.5.2				5							
3.5.3	8 APP 2			8							
3.5.4	2 8			8							
3.6			9								
3.6.1				6							
3.6.2	24			3							
3.7			23								

3.7.1				3							
3.7.2				3							
3.7.3				3							
3.7.4				2							
3.7.5				2							
3.7.6	GB/T 5845.2			3							
3.7.7	GB 2894			2							
3.7.8	GB/T 25895.3			2							
3.7.9	GB/T 10001.2			3							
4.1			30								
4.1.1				5							
4.1.2				5							
4.1.3				3							


4.1.4				1							
4.1.5				1							
4.1.6				5							
4.1.7				3							
4.1.8				3							
4.1.9	GB 5749			2							
4.1.10	GB/T 50331			2							
4.2			35								
4.2.1				5							
4.2.2				30							
4.2.2.1					2						
4.2.2.2					5						
4.2.2.3					3						
4.2.2.4					15						
4.2.2.4.1	60%	GB/T 18973	2016	AAA			15				

4.2.2.4.2	GB/T 18973 2016 AA					10					
4.2.2.4.3	60% GB/T 18973 2016 AA					5					
4.2.2.4.4	GB/T 18973 2016 A					3					
4.2.2.5					5						
4.3			30								
4.3.1				4							
4.3.2				3							
4.3.3				3							
4.3.4	/			3							
4.3.5				2							
4.3.6				2							
4.3.7				3							
4.3.8	24			10							

4.4			15								
4.4.1				12							
4.4.1.1	24					12					
4.4.1.2	18					8					
4.4.1.3						4					
4.4.1.4				3							
4.5			15								
4.5.1	/			5							
4.5.2				3							
4.5.3				2							
4.5.4				5							
4.5.4.1					3						
4.5.4.2					2						
5.1			50								



5.2.3.1					3						
5.2.3.2					2						
5.2.3.3					2						
5.2.3.4					3						
5.2.3.5					5						
5.3			20								
5.3.1				5							
5.3.2				4							
5.3.3				3							
5.3.4	GB 8978			4							
5.3.5				4							
5.4			10								
5.4.1				5							
5.4.2				5							



6.1

45

6.1.1

5

6.1.2

5

6.1.2.1

5

6.1.

6.1.7				5							
6.1.8				10							
6.1.8.1	5 000 m ²					10					
6.1.8.2	4 000 m ²					8					
6.1.8.3	3 000 m ²					6					
6.1.8.4	2 000m ²					4					
6.1.8.5	1 000m ²					2					
6.1.9				2							
6.2			20								
6.2.1				5							
6.2.1.1	24				2						
6.2.1.2					1						
6.2.1.3					2						
6.2.2				13							
6.2.2.1					5						

6.2.2.2					2						
6.2.2.3					2						
6.2.2.4					2						
6.2.2.5					2						
6.2.3				2							
6.2.3.1					1						
6.2.3.2					1						
6.3			5								
6.3.1				2							
6.3.2				2							
6.3.3				1							
6.4			10								
6.4.1				5							
6.4.2				5							

7.1			15								
7.1.1				10							
7.1.2				5							
7.2			25								
7.2.1				5							
7.2.2				4							
7.2.3				4							
7.2.4	GB/T16767			4							
7.2.5				4							
7.2.6				4							
7.3			15								
7.3.1				3							
7.3.2				3							
7.3.3				3							

7.3.4				3							
7.3.5				3							
8.1			10								
8.1.1				4							
8.1.2				3							
8.1.3				3							
8.2			10								
8.2.1				2							
8.2.2				2							
8.2.3				2							
8.2.4				2							
8.2.5				2							
8.3			5								
8.3.1				1							

8.3.2				1							
8.3.3				1							
8.3.4				1							
8.3.5				1							
8.4			5								
8.4.1				3							
8.4.2				2							
8.5			5								
8.5.1				3							
8.5.2				2							
8.6			3								
8.7			2								
9.1			25								
9.1.1				5							

9.1.2				5							
9.1.2.1						5					
9.1.2.2						4					
9.1.2.3						3					
9.1.2.4						2					
9.1.3				5							
9.1.3.1						5					
9.1.3.2						4					
9.1.3.3						3					
9.1.3.4						2					
9.1.4				5							
9.1.4.1						5					
9.1.4.2						4					
9.1.4.3						3					

9.1.4.4						2					
9.1.5				5							
9.1.5.1						5					
9.1.5.2						4					
9.1.5.3						3					
9.1.5.4						2					
9.2			10								
9.2.1				2							
9.2.2				2							
9.2.3				1							
9.2.4				5							
9.3			10								
9.3.1				5							

9.3.1.1						5					
9.3.1.2						4					
9.3.1.3						3					
9.3.1.4						2					
9.3.1.5						1					
9.3.2				5							
9.3.2.1	7.5				5						
9.3.2.2	5				4						
9.3.2.3	3				3						
9.3.2.4	2				2						
9.3.2.5	1				1						
9.4			5								
9.4.1	90			5							
9.4.2	85			4							
9.4.3	80			3							
		1000									

汽车旅游营地游客满意度调查

:

- 1、度的 察， 参 《 车 地 调查表》的得 。
- 2、《 车 地 调查表》 场 定 查 地 ， 发 、 并 。
- 3、 等 定 程 ，《 车 地 调 查表》发 ， 车 地的 、 范 报 等 ， 般 30 ， 采 发 、 、 的 法。 不 低 80%。
- 5、《 车 地 调查表》的 发， 采 发 。 ， 发 对 不 ， 并 的 别、 、 、 等 。
- 6、 度的 法：
 - (1) 度 100 。
 - (2) 10 ， 10 。 10 ， 8 ， 般 6 ， 不 0 。
 - (3) 办法： 出 《 车 地 调查表》 单 的 ， 对 10 单 的 ， 本次 定的 得 。 存 单 调查表 的 ， (除) 的 。

汽车旅游营地游客意见调查表

的：常的程调查表。
的宝定本车地等的
参。的持，。

计分总表
