

ICS
CCS

DB45

n

GB/T 29007
NY/T 499
NY/T 650
NY/T 997
NY 1232
NY/T 1646
NY/T 2845
NY/T 2902
NY/T 3213
DB45/T 560
DB45/T 1021—2014
DB45/T 1119—2020
DB45/T 1722—2018

DB45/T 1119—2020



—

50 cm

pH 6.0 7.5

$200 \times 667 \text{ m}^2$

13 □

4 m 6 m

4 m

40 m/hm^2

GB/T 29007

35 cm 45 cm

$\geq 40 \text{ cm}$

$\geq 15 \text{ cm}$

$\leq 10 \text{ cm}$

$\geq 10 \text{ cm}$

NY/T 1646

NY/T 2845

NY/T 499 NY/T 997


20 cm

70

25 mm

≤ 25

DB45/T 1119—2020 4.1.4



	≤ 6.0 ≤ 3.0
/hm ²	
	≥ 80
	≥ 80
	≤ 5.0
	≤ 6.0
	≥ 90
cm	$N^s \pm 5.0$
	≤ 5
	≥ 80
N^s	

DB45/T 1722—2018 6.3.3

DB45/T 1722—2018 6.3.2

10 , 3

1

$$F = \frac{N_z}{10} \times 100\% \dots\dots\dots 1$$

F ——

N_z ——

DB45/T 1722—2018 6.3.4

DB45/T 1722—2018 6.3.6

DB45/T 1119—2020

DB45/T 1722—2018 6.3.8

5 m



$\bar{a}$ —
 a_i —
 n —
 S —
 V —

DB45/T 1119—2020 5.5

—

DB45/T 560

8 cm 15 cm

U

U

DB45/T 1021—2014 5.7.1

DB45/T 560

NY/T 650

NY/T 3213

NY 1232

DB45/T 1021—2014 5.7.3.4

24 h

NY/T 2902

20 d



