

1		1
2		2
3		3
4		4
4.1		4
4.2		4
5		5
5.1		5
5.2		5
6		9
A		10
B		14
C		19
		28
		29
		30

Contents

1	General provisions	1
2	Terms	2
3	Basic requirements	3
4	Data acquisition	4
4.1	General requirement	4
4.2	Collection content	4
5	Data transmission	5
5.1	General requirement	5
5.2	Interface protocol	5
6	Data security	9
	Appendix A Fire alarm controller operation interface	10
	Appendix B Fire facilities data collection content	14
	Appendix C Message body content	19
	Explanation of wording in this standard	28
	List of quoted standards	29
	Addition: Explanation of provisions	30

1

1.0.1

1.0.2

1.0.3

广西壮族自治区住房和城乡建设厅
公开信息浏览专用

2

2.0.1 fire facilities

2.0.2 digital construction of fire
facilities in construction projects

2.0.3 fire information platform for
construction projects

3

3.0.1

3.0.2

3.0.3

3.0.4

4

4.1

4.1.1

A

4.1.2

4.2

GB 50440

GB 26875

4.1.3

4.1.4

GB

50440

GB 26875

4.1.5

1

GB/T 36344

2

1 /min

3

4.2

4.2.1

GB 50440

B

4.2.2

4.2.3

4.2.4

4.2.5

广西壮族自治区住房和城乡建设厅
公开信息浏览专用

5

5.1

5.1.1

5.1.2

5.1.3

5.1.4

5.1.5

- 1 2 /h
- 2 1 /
- 3 1 /2h
- 4

TCP/IP

5.2

5.2.1

- 1 5

- 2 2 0x90

0x86 0x90 0x90

- 3 5.2.1-1

5.2.1-1

VER	2bits	00
MODE	2bits	1 00-CON 2 01-NON 3 10-ACK
TKL	4bits	Token 1 0000-0Bytes // Token 0 2 0001-16Bytes // Token 16 3 0010-32Bytes // Token 32 4 0011-48Bytes // Token 48 5 0100-64Bytes // Token 64
DIDL	4bits	ID 1 0000-0Bytes // ID 2 0010-6Bytes // MAC ID 3 0011-9Bytes // ID
CMD	12bits	C 0.5-5
MID	2B	ID
TOKEN	0-64B	TKL
DEVID	0-32B	ID DIDL
BDL	2B	

4 0x82 0x90 0x90

5 1

GB/T 2312

2
3 C
4 CON NON

5.2.1-2

5.2.1-2 CON NON

	-	C

5

ACK

5.2.1-3

5.2.1-3 ACK

	2B	-
	1B	1B
	-	[0-255]
	-	C

6

TCP

5.2.2

GB/T 2312

1

5.2.3

10 s

3

6

6.0.1

GB/T 22239

6.0.2

GB/T 37025

GB/T 22239


1

2


6.0.3

GB/T 37722


A




A.2




A.3



A.4



A.5



A.6



A.7

B

B.0.1

B.0.1

B.0.2

3	/	
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		

B.0.3

B.0.3

B.0.3

1		
2		
3	/	
4		
5		
6		
7		
8		
9		

B.0.4

B.0.4

B.0.4

1	/	
2	/	
3		
4		
5		
6		
7		
8		

B.0.5

B.0.5

B.0.5

1		
2		
3		
4		
5		
6		
7		
8		

B.0.6

B.0.6

B.0.6

1		
2		
3	/	
4		
5		
6		
7		
8		
9		
10		

B.0.6

11		
12		
13		
14		

B.0.7

B.0.7

B.0.7

1		
2		
3		
4		
5		
6		
7		
8		

B.0.8

B.0.8

B.0.8

1		
2		
3		

B.0.9

B.0.10

1		
2		
3		

B.0.11

B.0.11

B.0.11

1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

B.0.12

B.0.12

B.0.12

1		
2		
3		

C

C.0.1

CON

C.0.1

C.0.1

		2B	R	-
		1B	R	-
		-	R	-
		1B	R	-
		-	R	-
		20B	R	: V1.0.0_220214
		20B	R	: V1.0.0_220214
		2B	R	min
		1B	R	0-GB 2312, 1-GBK, 2-UTF-8
		1B	R W	255
		-	R W	

C.0.2

CON

C.0.2

C.0.2

		2B	R	min
		1B	R W	255
		-	R W	

C.0.3

CON

C.0.3-1

C.0.3-2

C.0.3-1

		4B	R W	1970
		-	R	C.0.6-6
		1B	R	C.0.3-2
	1	-	R	
	N	-	R	

C.0.3-2

		1B	R	1- 2- 3- 4-
		2B	R	C.0.7-1
		1B	R	C.0.4-2
	1	-	R	
	N	-	R	

C.0.4

1

NON

C.0.4-1

C.0.4-2

C.0.4-1

		4B	R	1970
		-	R	C.0.6-6
		1B	R	C.0.4-2
	1	-	R	
	N	-	R	

C.0.4-2

		2B	R	C.0.7-2
		2B	R	2 [-32768 32767]
		1B	R	0-1 1-0.1 2-0.01 3-0.001
		1B	R	-
		1B	R W	255
		-	R W	

2

CON

C.0.4-3

C.0.4-1

C.0.4-3

	-	R	C.0.6-6

C.0.5

1

CON

C.0.5-1

C.0.5-2

C.0.5-3

C.0.5-1

	2B	R	
	4B	R	1970
ID	2B	R	
	-	R	C.0.6-6
	-	R	

C.0.5-2

	1B	R	—
			-
	2B	R	

C.0.5-3

	4B	R	1970
ID	2B	R	

2

CON

C.0.5-4

C.0.5-5

C.0.5-4

	4B	R	1970
ID	2B	R	
	2B	R	

C.0.5-5

			1	CON	->
			2	CON	->
			3	CON	->
			4	NON	->
			5	NON	->
			6	CON	->
			7	CON	->

C.0.6

1

C.0.6-1

C.0.6-

2

C.0.6-1

		1B	R	[0 10] 0
	1	-	R	C.0.6-2
	N	-	R	

C.0.6-2

		2B	R	-
ID		1B	R	ID
ID		-	R	-
		1B	R W	255
		-	R W	

2

C.0.6-3

C.0.6-3

	1B	R W	0	1- 2- 3- 4-
	1B	R W	-	

3

C.0.6-4

C.0.6-

5

C.0.6-4

		2B	R W	-
/		2B	R W	/ 0
		11B	R W	11
		2B	R W	C.0.6-3
		1B	R W	Bit0 1- 0- / Bit1-Bit15

C.0.6-4

ID	ID	1B	R W	
	ID	-	R W	id
		1B	R W	0
		-	R W	-
		1B	R W	C.0.6-5
	1	-	R W	
	N	-	R W	
		-	R W	-

C.0.6-5

		1B	R W	
		2B	R W	
		1B	R W	0-
		1B	R W	255
		-	R W	

4

C.0.6-6

C.0.6-6

		2B	R	
		-	R	C.0.6-1
		1B	R	0
		-	R	2
		-	R	C.0.6-3
/		1B	R	0
	ID	1B	R	-
	ID	-	R	1. 2. Lora 3.

C.0.6-6

/			1B	R	0
			-	R	
			1B	R	
			-	R	
			2B	R	
			1B	R	-
	ID		1B	R	-
			2B	R	

C.0.7

1

C.0.7-1

C.0.7-1

	1	2		
	3	4		
	5	6		
	7	8		
	9	10		
	11	12		
	13	14		
	15	16		
	17	18	-	
	19	20	-	
	21	22	-	
	23	24	-	
	25	26	-	
	27	28		
	29	30	-	
	31	32	-	
	33	34	-	
	35	36	-	
	37	38	-	
	39	40	-	

C.0.7-1

	41	42	-
	43	44	-
	45	46	

2

C.0.7-2

C.0.7-2

	1
	2
	3
	4
	5
	6
	7
	8
	9
	10
	11
	12
	13
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26
	27
	28

C.0.7-2

	29
	30
	31
	32
	33
	34
	35
	36
	37
	38
	39
RSSI	40
SNR	41
	42
	43
CO	44
H2	45
VOC	46
MBS	47
MBS	48
MBS	49

1

1

“ ”

“ ”

2

“ ”

“ ” “ ”

3

“ ”

“ ”

4

“ ”

2

“

” “ ”

.....

.....

GB 50440

GB/T 2312

GB/T 22239

GB/T 26875

GB/T 36344

GB/T 37025

GB/T 37722

DBJ/T45 -XXX-20XX